

Benzinga

Delayed Quote API v1

Abstract

A delayed quote feed.

Connection

Connect using the following URL structure:

```
http://api.benzinga.com/api/v1/quoteDelayed?{Parameters}
```

Authentication Parameters

```
token = <unique API token key> // unique api-key given to partner
```

Security Lookup Parameters

Only a single lookup parameter is allowed.

Max of 50 identifiers per lookups.

```
symbols = <SYMBOLS> // Symbols are accepted with the format:  
                    SYMBOL  
                    EXCHANGE:SYMBOL  
                    // Symbols without an exchange will assume a US equity
```

```
isin = <ISIN> // Comma separated list of ISIN identifiers
```

```
cik = <CIK> // Comma separated list of CIK identifiers
```

Data

Data will be provided in XML or JSON form. Upon success, it will return event data for specific calendars. XML or JSON may be selected by passing the proper header.

JSON Header:

Accept: application/json

Endpoints:

api/v1/quoteDelayed

Example:

<http://api.benzinga.com/api/v1/quoteDelayed?symbol=AAPL&token=TOKEN>

Data Definitions

```
[
  {
    security: {
      symbol
      cik
      isin
      valoren
      cusip
      name
    }
    quote: {
      date
      open
      close
      high
      low
      last
      volume
      previousClose
      previousCloseDate
      change
      changePercent
      fiftyTwoWeekHigh
      fiftyTwoWeekLow
      currency
      tradingHalted
    }
  },
  {...}
]
```